AUTHOR INDEX TO VOLUME 111

Ahlrichs, R., K. Jankowski and J. Wasilewski, Accurate MR CI studies of the N_2 ground state 111 (1987) 263

Alts, T., P. Nielaba, B. D'Aguanno and F. Forstmann, A local density functional approximation for the ion distribution near a charged electrode in the restricted primitive model electrolyte 111 (1987) 223

Balasubramanian, K., see M.Z. Liao 111 (1987) 423

Bancewicz, T., Interaction-induced Rayleigh light scattering from molecular fluids. Spectral considerations 111 (1987) 409

Bernage, P., see J.M. Delaval 111 (1987) 129

Bertagnolli, H., see O. Steinhauser 111 (1987) 371

Bertrán, J., see A. González-Lafont 111 (1987) 241

Beveridge, A.J., see M.H. Palmer 111 (1987) 249

Billing, G.D., see C. Gorse 111 (1987) 351

Bocquet, H., see J.M. Delaval 111 (1987) 129

Bodeur, S. and A.P. Hitchcock, Inner- and valence-shell excitation of SF_4 studied by photoabsorption and electron energy loss spectroscopy 111 (1987) 467

Boerrigter, P.M., M.A. Buijse and J.G. Snijders, Spin–orbit interaction in the excited states of the dihalogen ions F_2^+, Cl_2^+ and Br_2^+ 111 (1987) 47

Buijse, M.A., see P.M. Boerrigter 111 (1987) 47

Cacciatore, M., see C. Gorse 111 (1987) 351

Calvo, R., see A.M. Gennaro 111 (1987) 431

Capitelli, M., see C. Gorse 111 (1987) 351

Capitelli, M., see S. De Benedictis 111 (1987) 361

Chałasínski, G., see M. Gutowski 111 (1987) 271

Chapman, D., see M.Z. Liao 111 (1987) 423

Chrapeć, J., S.J. Rzoska and J. Zioło, Pseudospinodal curve for binary solutions determined from the non-linear dielectric effect 111 (1987) 155

Courbin-Gaussorgues, C., see V. Sidis 111 (1987) 285

Cramarossa, F., see S. De Benedictis 111 (1987) 361

Crépin, C., F. Legay, N. Legay-Sommaire and A. Tramer, Electronic to vibrational energy transfer and relaxation in matrices. I. Hg in N_2 matrix 111 (1987) 169

Crépin, C., F. Legay, N. Legay-Sommaire and A. Tramer, Electronic to vibrational energy transfer and relaxation in matrices. II. Hg in mixed N_2/Kr matrices 111 (1987) 183

D'Aguanno, B., see T. Alts 111 (1987) 223

Dargelos, A., see J. Fernandez 111 (1987) 97

De Benedictis, S., see C. Gorse 111 (1987) 351

De Benedictis, S., M. Capitelli, F. Cramarossa and C. Gorse, Non-equilibrium vibrational kinetics of CO pumped by vibrationally excited nitrogen molecules: A comparison between theory and experiment 111 (1987) 361

De Schryver, F.C., see M. van der Auweraer 111 (1987) 105
Delaval, J.M., Y. Lefebvre, H. Bocquet, P. Bernage and P. Niay, Radiative lifetimes of the low-lying electronic states of CuF and CuCl: identification of the excited states of CuCl 111 (1987) 129
Dissado, L.A. and R.M. Hill, Self-similarity as a fundamental feature of the regression of fluctuations 111 (1987) 193
Do Vale, A.F., see L.M. Ilharco 111 (1987) 137

Fantoni, R., see K. van Helvoort 111 (1987) 445
Fernandez, J., G. Lespes and A. Dargelos, Theoretical and experimental study of the vacuum ultraviolet spectrum of tetrasubstituted tin derivatives $SnCl_4$ and $Sn(CH_3)_4$ 111 (1987) 97
Forstmann, F., see T. Alts 111 (1987) 223
Frey, J.G. and B.J. Howard, An accurate calculation of the ground state energy of the helium atom and the hydrogen negative ion using hyperspherical coordinates 111 (1987) 33
Frost, R.J. and I.W.M. Smith, Combining transition state calculations with quasiclassical trajectory calculations. II. Collinear collisions involving vibrationally excited reagents 111 (1987) 389

Gardiner Jr., W.C. and R.D. Levine, Collision theory thermal rate constants for H + H_2 reactions on the SLTH potential surface 111 (1987) 1
Gennaro, A.M., P.R. Levstein, C.A. Steren and R. Calvo, EPR of layered magnetic metal–amino acid salts. I. $Cu(L\text{-}PHE)_2$ 111 (1987) 431
Gianturco, F.A. and F. Schneider, On the possible charge-transfer dynamics in a simple system: $BH(X\ ^1\Sigma^+)$ + proton 111 (1987) 113
González-Lafont, A., J.M. Lluch, A. Oliva and J. Bertrán, A Monte Carlo simulation of Fe^{2+} aqueous solvation 111 (1987) 241
Gorse, C., G.D. Billing, M. Cacciatore, M. Capitelli and S. De Benedictis, Non-equilibrium vibrational kinetics of CO pumped by vibrationally excited nitrogen molecules: general theoretical considerations 111 (1987) 351
Gorse, C., see S. De Benedictis 111 (1987) 361
Gunde, R. and H.H. Günthard, Consistent force field modeling of substitutional defects representative for matrix-isolated molecules. II. Trans-1,2-difluoroethane: Ar_{364} 111 (1987) 339
Günthard, H.H., see R. Gunde 111 (1987) 339
Gutowski, M., J. Verbeek, J.H. van Lenthe and G. Chałasínski, The impact of higher polarization functions on second-order dispersion energy. Partial wave expansion and damping phenomenon for He_2^1 111 (1987) 271

Hausleithner, I., see O. Steinhauser 111 (1987) 371
Hill, R.M., see L.A. Dissado 111 (1987) 193
Hitchcock, A.P., see S. Bodeur 111 (1987) 467
Howard, B.J., see J.G. Frey 111 (1987) 33
Hunter, T.F. and C.M. Leong, Absolute yields of $I(^2P_{1/2})$ in I_2 photodissociation using a laser optoacoustic technique 111 (1987) 145

Idziak, S. and N. Piślewski, An NMR relaxation study on the hydrogen dynamics in malonic acid 111 (1987) 439
Ilharco, L.M., A.F. do Vale and J. Lopes da Silva, Determination of saturated organic vapour concentrations by a spectroscopic method 111 (1987) 137

Jankowski, K., see R. Ahlrichs 111 (1987) 263
Johnson, C.A.F. and J.E. Parker, The charge transfer reactions of protons with carbon dioxide: a two-state treatment 111 (1987) 307

Knippers, W., see K. van Helvoort 111 (1987) 445
Kobayashi, M., see A. Matsui 111 (1987) 121

Lefebvre, Y., see J.M. Delaval 111 (1987) 129
Legay, F., see C. Crépin 111 (1987) 169
Legay, F., see C. Crépin 111 (1987) 183
Legay-Sommaire, N., see C. Crépin 111 (1987) 169
Legay-Sommaire, N., see C. Crépin 111 (1987) 183
Leong, C.M., see T.F. Hunter 111 (1987) 145
Leroy, J.P. and R. Wallace, Procedures leading to a variety of orthonormal Jacobi-type coordinates of relevance to large-amplitude vibration and scattering problems 111 (1987) 11
Lespes, G., see J. Fernandez 111 (1987) 97
Levine, R.D., see W.C. Gardiner Jr. 111 (1987) 1
Levstein, P.R., see A.M. Gennaro 111 (1987) 431
Liao, M.Z., K. Balasubramanian, D. Chapman and S.H. Lin, Ab initio configuration interaction calculations for five states of $ArHe^+$ 111 (1987) 423
Lin, S.H., see M.Z. Liao 111 (1987) 423
Lluch, J.M., see A. González-Lafont 111 (1987) 241
Lopes da Silva, J., see L.M. Ilharco 111 (1987) 137

Matsui, A., T. Ohno, K. Mizuno, T. Yokoyama and M. Kobayashi, Effect of hydrostatic pressure on excitons in α-perylene crystals 111 (1987) 121
McDonald, J.R., see A. O'Keefe 111 (1987) 327
McElvany, S., see A. O'Keefe 111 (1987) 327
Mizuno, K., see A. Matsui 111 (1987) 121
Munn, R.W., P. Petelenz and W. Siebrand, Theoretical evaluation of the frequency and intensity of low-energy charge-transfer transitions in aromatic hydrocarbon crystals. I. Anthracene 111 (1987) 209

Niay, P., see J.M. Delaval 111 (1987) 129
Nielaba, P., see T. Alts 111 (1987) 223
Nikitin, E.E., M.Ya. Ovchinnikova and D.V. Shalashilin, Vibronic approach to dynamics of charge transfer in the $[ArN_2]^+$ system 111 (1987) 313
Nowotny, U., see Ch. Schlier 111 (1987) 401

Ohno, T., see A. Matsui 111 (1987) 121
O'Keefe, A., S. McElvany and J.R. McDonald, Ion–molecule chemistry of C_2^+: evidence for the production of excited state dicarbon cation 111 (1987) 327
Oliva, A., see A. González-Lafont 111 (1987) 241
Ovchinnikova, M.Ya., see E.E. Nikitin 111 (1987) 313

Palmer, M.H. and A.J. Beveridge, Assignment of the UV photoelectron spectra of the azoles by ab initio multi-reference configuration interaction calculations 111 (1987) 249
Parker, J.E., see C.A.F. Johnson 111 (1987) 307
Petelenz, P. and V.H. Smith Jr., Vibronic coupling in charge transfer complexes. II 111 (1987) 37

Petelenz, P., see R.W. Munn 111 (1987) 209
Piślewski, N., see S. Idziak 111 (1987) 439
Poppe, D., Rotational excitation of diatomic molecules in exothermic processes 111 (1987) 17
Poppe, D., Classical dynamics of rotationally inelastic scattering of atoms with molecules 111 (1987) 21
Pouchan, C., An ab initio CI investigation of structure and bonding in LiC_2H_2 complexes 111 (1987) 87

Rzoska, S.J., see J. Chrapeć 111 (1987) 155

Saar, A., see K. Zboiński 111 (1987) 161
Schlier, Ch., U. Nowotny and E. Teloy, Proton–hydrogen collisions: trajectory surface hopping calculations and new measurements 111 (1987) 401
Schneider, F., see F.A. Gianturco 111 (1987) 113
Schurr, J.M., Dynamic light scattering and mutual diffusion in non-ideal systems. One- and multi-component spherical solutes 111 (1987) 55
Shalashilin, D.V., see E.E. Nikitin 111 (1987) 313
Sidis, V. and C. Courbin-Gaussorgues, Theoretical study of direct dissociative charge exchange at low energy (1–100 eV) 111 (1987) 285
Siebrand, W., see R.W. Munn 111 (1987) 209
Smith, I.W.M., see R.J. Frost 111 (1987) 389
Smith Jr., V.H., see P. Petelenz 111 (1987) 37
Snijders, J.G., see P.M. Boerrigter 111 (1987) 47
Steinhauser, O., I. Hausleithner and H. Bertagnolli, The binary system benzene–hexafluorobenzene studied by SSOZ theory and computer simulation. I. The charge symmetry model 111 (1987) 371
Steren, C.A., see A.M. Gennaro 111 (1987) 431
Stolte, S., see K. van Helvoort 111 (1987) 445

Teloy, E., see Ch. Schlier 111 (1987) 401
Tramer, A., see C. Crépin 111 (1987) 169
Tramer, A., see C. Crépin 111 (1987) 183

Van der Auweraer, M. and F.C. de Schryver, On the intramicellar fluorescence quenching rate constant in cylindrical micelles 111 (1987) 105
Van Helvoort, K., W. Knippers, R. Fantoni and S. Stolte, The Raman spectrum of ethane from 600 to 6500 cm^{-1} Stokes shifts 111 (1987) 445
Van Lenthe, J.H., see M. Gutowski 111 (1987) 271
Verbeek, J., see M. Gutowski 111 (1987) 271

Wallace, R., see J.P. Leroy 111 (1987) 11
Wasilewski, J., see R. Ahlrichs 111 (1987) 263

Yokoyama, T., see A. Matsui 111 (1987) 121

Zboiński, K. and A. Saar, Non-linear dielectric effect of ternary critical solutions: the acetonitrile–cyclohexane–benzene system 111 (1987) 161
Zioło, J., see J. Chrapeć 111 (1987) 155

LIST OF SUBJECTS

1 METHODS

1.1 Theoretical

1.1.1 Group theory and algebras *
1.1.2 Classical mechanics
1.1.3 Quantized field theory *
1.1.4 Many body and quasiparticle approaches
1.1.5 Coupling schemes and perturbative treatments
1.1.6 Relativistic quantum mechanics
1.1.7 Transport quantum mechanics *
1.1.8 Equilibrium statistical mechanics
1.1.9 Statistical mechanics of stationary states *
1.1.10 Non-equilibrium thermodynamic and hydrodynamic theories
1.1.11 Ab initio schemes for stationary properties
1.1.12 Computational and simulation methods
1.1.13 Molecular dynamics and scattering theory

1.2 Experimental

1.2.1 Magnetic resonances
1.2.2 Cyclotron resonance *
1.2.3 Microwave spectroscopy *
1.2.4 Infrared spectroscopy
1.2.5 Raman spectroscopy
1.2.6 Visible and UV spectroscopy
1.2.7 Fluorescence spectroscopy
1.2.8 Photoelectron and Auger spectroscopy
1.2.9 X-ray spectroscopy
1.2.10 Electron impact spectroscopy
1.2.11 Laser methods
1.2.12 Picosecond spectroscopy *
1.2.13 Non-linear optical spectroscopy *
1.2.14 Synchrotron spectroscopies *
1.2.15 Coherent optical spectroscopy *
1.2.16 Optical pumping *
1.2.17 Multiple resonance spectroscopy *
1.2.18 Optoacoustic spectroscopy
1.2.19 Atomic and molecular beam techniques *
1.2.20 Time-resolved experiments
1.2.21 Mass spectrometry
1.2.22 Radiolysis *
1.2.23 Mössbauer spectroscopy *
1.2.24 X-ray, electron and neutron diffraction *
1.2.25 Neutron scattering *
1.2.26 Light scattering
1.2.27 Field emission and field ionization *
1.2.28 Measurement of macroscopic variables

2 OBJECTS

2.1 Bulk systems

2.1.1 Gases
2.1.2 Supersonic beams *
2.1.3 Liquids neat
2.1.4 Liquid mixtures and solutions
2.1.5 Crystals
2.1.5.1 neat
2.1.5.2 mixed
2.1.6 Glasses *
2.1.7 Liquid crystals *
2.1.8 Polymers *
2.1.9 Semiconductors *
2.1.10 Metals and alloys *
2.1.11 Thin films *
2.1.12 Surfaces
2.1.13 Low-dimensional materials
2.1.14 Dielectrics
2.1.15 Plasmas
2.1.16 Biological systems *

2.2 Microscopic systems

2.2.1 Atoms
2.2.2 Molecules (neutral and ionic)
2.2.2.1 diatomic
2.2.2.2 small polyatomics
2.2.2.3 aromatics
2.2.2.4 other large *
2.2.2.5 polymeric and biological
2.2.3 Molecular aggregates *
2.2.3.1 dimers
2.2.3.2 van der Waals molecules
2.2.3.3 clusters
2.2.3.4 complexes
2.2.4 Free radicals (including hydronium and muonium) *
2.2.5 Quasiparticles (including excitons) *
2.2.6 Defects and impurities *
2.2.7 Ions and charge carriers

* Denotes subject not covered in this volume.

3 PHENOMENA

3.1 Molecular structure
3.2 Vibrations and rotations of molecules
3.3 Electronic structure and states
3.4 Electric and magnetic properties
3.5 Spin splittings *
3.6 Optical activity *
3.7 Molecular interactions
3.8 Spectral bandshapes and intensities
3.9 Coupling of electronic and nuclear motion
3.10 Energy transfer processes
3.11 Molecular photophysical processes
3.12 Intramolecular dynamics
3.12.1 radiationless transitions *
3.12.2 vibrational energy distribution (including vibrational dissociation) *
3.13 Luminescence spectra, yields and lifetimes *
3.14 Coherence loss processes *
3.15 Non-linear responses (including optical)
3.16 Multiphoton phenomena *
3.17 Reactions (including dissociation)
3.17.1 gas phase
3.17.2 condensed phase *
3.17.3 photochemical *
3.18 Tunnelling *
3.19 Electron transfer
3.20 Positron annihilation *
3.21 Ionization (including Rydberg states)
3.22 Molecular motion (including diffusive)
3.23 Isotopic effects
3.24 Fluctuations and noise
3.25 Collective motion and excitations
3.26 Surface effects and catalysis *
3.27 Thermodynamic and transport properties
3.28 Structure of solids and liquids
3.29 Critical phenomena
3.30 Phase transitions

SUBJECT INDEX TO VOLUME 111

METHODS

Theoretical

Classical mechanics

Procedures leading to a variety of orthonormal Jacobi-type coordinates of relevance to large-amplitude vibration and scattering problems, J.P. Leroy and R. Wallace 111 (1987) 11
Rotational excitation of diatomic molecules in exothermic processes, D. Poppe 111 (1987) 17
Classical dynamics of rotationally inelastic scattering of atoms with molecules, D. Poppe 111 (1987) 21

Many body and quasiparticle approaches

An accurate calculation of the ground state energy of the helium atom and the hydrogen negative ion using hyperspherical coordinates, J.G. Frey and B.J. Howard 111 (1987) 33
Self-similarity as a fundamental feature of the regression of fluctuations, L.A. Dissado and R.M. Hill 111 (1987) 193

Coupling schemes and perturbative treatments

An accurate calculation of the ground state energy of the helium atom and the hydrogen negative ion using hyperspherical coordinates, J.G. Frey and B.J. Howard 111 (1987) 33
Vibronic coupling in charge transfer complexes. II, P. Petelenz and V.H. Smith Jr. 111 (1987) 37
Theoretical evaluation of the frequency and intensity of low-energy charge-transfer transitions in aromatic hydrocarbon crystals. I. Anthracene, R.W. Munn, P. Petelenz and W. Siebrand 111 (1987) 209

Relativistic quantum mechanics

Spin–orbit interaction in the excited states of the dihalogen ions F_2^+, Cl_2^+ and Br_2^+, P.M. Boerrigter, M.A. Buijse and J.G. Snijders 111 (1987) 47
Ab initio configuration interaction calculations for five states of $ArHe^+$, M.Z. Liao, K. Balasubramanian, D. Chapman and S.H. Lin 111 (1987) 423

Equilibrium statistical mechanics

A local density functional approximation for the ion distribution near a charged electrode in the restricted primitive model electrolyte, T. Alts, P. Nielaba, B. D'Aguanno and F. Forstmann 111 (1987) 223
A Monte Carlo simulation of Fe^{2+} aqueous solvation, A. González-Lafont, J.M. Lluch, A. Oliva and J. Bertrán 111 (1987) 241
Interaction-induced Rayleigh light scattering from molecular fluids. Spectral considerations, T. Bancewicz 111 (1987) 409

Non-equilibrium thermodynamic and hydrodynamic theories

Dynamic light scattering and mutual diffusion in non-ideal systems. One- and multicomponent spherical solutes, J.M. Schurr 111 (1987) 55

Self-similarity as a fundamental feature of the regression of fluctuations, L.A. Dissado and R.M. Hill 111 (1987) 193

Ab initio schemes for stationary properties

An accurate calculation of the ground state energy of the helium atom and the hydrogen negative ion using hyperspherical coordinates, J.G. Frey and B.J. Howard 111 (1987) 33

Spin–orbit interaction in the excited states of the dihalogen ions F_2^+, Cl_2^+ and Br_2^+, P.M. Boerrigter, M.A. Buijse and J.G. Snijders 111 (1987) 47

An ab initio CI investigation of structure and bonding in LiC_2H_2 complexes, C. Pouchan 111 (1987) 87

Theoretical and experimental study of the vacuum ultraviolet spectrum of tetrasubstituted tin derivatives $SnCl_4$ and $Sn(CH_3)_4$, J. Fernandez, G. Lespes and A. Dargelos 111 (1987) 97

Assignment of the UV photoelectron spectra of the azoles by ab initio multi-reference configuration interaction calculations, M.H. Palmer and A.J. Beveridge 111 (1987) 249

Accurate MR CI studies of the N_2 ground state, R. Ahlrichs, K. Jankowski and J. Wasilewski 111 (1987) 263

Ab initio configuration interaction calculations for five states of $ArHe^+$, M.Z. Liao, K. Balasubramanian, D. Chapman and S.H. Lin 111 (1987) 423

Computational and simulation methods

Collision theory thermal rate constants for $H + H_2$ reactions on the SLTH potential surface, W.C. Gardiner Jr. and R.D. Levine 111 (1987) 1

An accurate calculation of the ground state energy of the helium atom and the hydrogen negative ion using hyperspherical coordinates, J.G. Frey and B.J. Howard 111 (1987) 33

On the intramicellar fluorescence quenching rate constant in cylindrical micelles, M. van der Auweraer and F.C. de Schryver 111 (1987) 105

A Monte Carlo simulation of Fe^{2+} aqueous solvation, A. González-Lafont, J.M. Lluch, A. Oliva and J. Bertrán 111 (1987) 241

The impact of higher polarization functions on second-order dispersion energy. Partial wave expansion and damping phenomenon for He_2^1, M. Gutowski, J. Verbeek, J.H. van Lenthe and G. Chałasínski 111 (1987) 271

Consistent force field modeling of substitutional defects representative for matrix-isolated molecules. II. Trans-1,2-difluoroethane: Ar_{364}, R. Gunde and H.H. Günthard 111 (1987) 339

Non-equilibrium vibrational kinetics of CO pumped by vibrationally excited nitrogen molecules: general theoretical considerations, C. Gorse, G.D. Billing, M. Cacciatore, M. Capitelli and S. De Benedictis 111 (1987) 351

Non-equilibrium vibrational kinetics of CO pumped by vibrationally excited nitrogen molecules: A comparison between theory and experiment, S. De Benedictis, M. Capitelli, F. Cramarossa and C. Gorse 111 (1987) 361

The binary system benzene–hexafluorobenzene studied by SSOZ theory and computer simulation. I. The charge symmetry model, O. Steinhauser, I. Hausleithner and H. Bertagnolli 111 (1987) 371

Combining transition state calculations with quasiclassical trajectory calculations. II. Collinear collisions involving vibrationally excited reagents, R.J. Frost and I.W.M. Smith 111 (1987) 389

Molecular dynamics and scattering theory
Procedures leading to a variety of orthonormal Jacobi-type coordinates of relevance to large-amplitude vibration and scattering problems, J.P. Leroy and R. Wallace 111 (1987) 11
Rotational excitation of diatomic molecules in exothermic processes, D. Poppe 111 (1987) 17
Classical dynamics of rotationally inelastic scattering of atoms with molecules, D. Poppe 111 (1987) 21
On the possible charge-transfer dynamics in a simple system: $BH(X\ ^1\Sigma^+)$ + proton, F.A. Gianturco and F. Schneider 111 (1987) 113
The impact of higher polarization functions on second-order dispersion energy. Partial wave expansion and damping phenomenon for He_2^1, M. Gutowski, J. Verbeek, J.H. van Lenthe and G. Chałasínski 111 (1987) 271
Theoretical study of direct dissociative charge exchange at low energy (1–100 eV), V. Sidis and C. Courbin-Gaussorgues 111 (1987) 285
The charge transfer reactions of protons with carbon dioxide: a two-state treatment, C.A.F. Johnson and J.E. Parker 111 (1987) 307
Vibronic approach to dynamics of charge transfer in the $[ArN_2]^+$ system, E.E. Nikitin, M.Ya. Ovchinnikova and D.V. Shalashilin 111 (1987) 313
Combining transition state calculations with quasiclassical trajectory calculations. II. Collinear collisions involving vibrationally excited reagents, R.J. Frost and I.W.M. Smith 111 (1987) 389
Proton–hydrogen collisions: trajectory surface hopping calculations and new measurements, Ch. Schlier, U. Nowotny and E. Teloy 111 (1987) 401

Experimental

Magnetic resonances
EPR of layered magnetic metal–amino acid salts. I. $Cu(L\text{-}PHE)_2$, A.M. Gennaro, P.R. Levstein, C.A. Steren and R. Calvo 111 (1987) 431
An NMR relaxation study on the hydrogen dynamics in malonic acid, S. Idziak and N. Piślewski 111 (1987) 439

Cyclotron resonance
Ion–molecule chemistry of C_2^+: evidence for the production of excited state dicarbon cation, A. O'Keefe, S. McElvany and J.R. McDonald 111 (1987) 327

Infrared spectroscopy
Consistent force field modeling of substitutional defects representative for matrix-isolated molecules. II. Trans-1,2-difluoroethane: Ar_{364}, R. Gunde and H.H. Günthard 111 (1987) 339
Non-equilibrium vibrational kinetics of CO pumped by vibrationally excited nitrogen molecules: A comparison between theory and experiment, S. De Benedictis, M. Capitelli, F. Cramarossa and C. Gorse 111 (1987) 361

Raman spectroscopy
The Raman spectrum of ethane from 600 to 6500 cm^{-1} Stokes shifts, K. van Helvoort, W. Knippers, R. Fantoni and S. Stolte 111 (1987) 445

Visible and UV spectroscopy
Vibronic coupling in charge transfer complexes. II, P. Petelenz and V.H. Smith Jr. 111 (1987) 37

Theoretical and experimental study of the vacuum ultraviolet spectrum of tetrasubstituted tin derivatives $SnCl_4$ and $Sn(CH_3)_4$, J. Fernandez, G. Lespes and A. Dargelos 111 (1987) 97
Effect of hydrostatic pressure on excitons in α-perylene crystals, A. Matsui, T. Ohno, K. Mizuno, T. Yokoyama and M. Kobayashi 111 (1987) 121
Radiative lifetimes of the low-lying electronic states of CuF and CuCl: identification of the excited states of CuCl, J.M. Delaval, Y. Lefebvre, H. Bocquet, P. Bernage and P. Niay 111 (1987) 129
Determination of saturated organic vapour concentrations by a spectroscopic method, L.M. Ilharco, A.F. do Vale and J. Lopes da Silva 111 (1987) 137
Assignment of the UV photoelectron spectra of the azoles by ab initio multi-reference configuration interaction calculations, M.H. Palmer and A.J. Beveridge 111 (1987) 249

Fluorescence spectroscopy
On the intramicellar fluorescence quenching rate constant in cylindrical micelles, M. van der Auweraer and F.C. de Schryver 111 (1987) 105
Effect of hydrostatic pressure on excitons in α-perylene crystals, A. Matsui, T. Ohno, K. Mizuno, T. Yokoyama and M. Kobayashi 111 (1987) 121
Electronic to vibrational energy transfer and relaxation in matrices. I. Hg in N_2 matrix, C. Crépin, F. Legay, N. Legay-Sommaire and A. Tramer 111 (1987) 169
Electronic to vibrational energy transfer and relaxation in matrices. II. Hg in mixed N_2/Kr matrices, C. Crépin, F. Legay, N. Legay-Sommaire and A. Tramer 111 (1987) 183

Photoelectron and Auger spectroscopy
Assignment of the UV photoelectron spectra of the azoles by ab initio multi-reference configuration interaction calculations, M.H. Palmer and A.J. Beveridge 111 (1987) 249

X-ray spectroscopy
Inner- and valence-shell excitation of SF_4 studied by photoabsorption and electron energy loss spectroscopy, S. Bodeur and A.P. Hitchcock 111 (1987) 467

Electron impact spectroscopy
Inner- and valence-shell excitation of SF_4 studied by photoabsorption and electron energy loss spectroscopy, S. Bodeur and A.P. Hitchcock 111 (1987) 467

Laser methods
Absolute yields of $I(^2P_{1/2})$ in I_2 photodissociation using a laser optoacoustic technique, T.F. Hunter and C.M. Leong 111 (1987) 145

Optoacoustic spectroscopy
Absolute yields of $I(^2P_{1/2})$ in I_2 photodissociation using a laser optoacoustic technique, T.F. Hunter and C.M. Leong 111 (1987) 145

Time-resolved experiments
Radiative lifetimes of the low-lying electronic states of CuF and CuCl: identification of the excited states of CuCl, J.M. Delaval, Y. Lefebvre, H. Bocquet, P. Bernage and P. Niay 111 (1987) 129
Ion–molecule chemistry of C_2^+: evidence for the production of excited state dicarbon cation, A. O'Keefe, S. McElvany and J.R. McDonald 111 (1987) 327

Mass spectrometry
The charge transfer reactions of protons with carbon dioxide: a two-state treatment, C.A.F. Johnson and J.E. Parker 111 (1987) 307
Ion–molecule chemistry of C_2^+: evidence for the production of excited state dicarbon cation, A. O'Keefe, S. McElvany and J.R. McDonald 111 (1987) 327

Light scattering
Dynamic light scattering and mutual diffusion in non-ideal systems. One- and multi-component spherical solutes, J.M. Schurr 111 (1987) 55

Measurement of macroscopic variables
Determination of saturated organic vapour concentrations by a spectroscopic method, L.M. Ilharco, A.F. do Vale and J. Lopes da Silva 111 (1987) 137
Pseudospinodal curve for binary solutions determined from the non-linear dielectric effect, J. Chrapeć, S.J. Rzoska and J. Zioło 111 (1987) 155

OBJECTS

Bulk systems

Gases
On the possible charge-transfer dynamics in a simple system: $BH(X\ ^1\Sigma^+)$ + proton, F.A. Gianturco and F. Schneider 111 (1987) 113
Determination of saturated organic vapour concentrations by a spectroscopic method, L.M. Ilharco, A.F. do Vale and J. Lopes da Silva 111 (1987) 137
Absolute yields of $I(^2P_{1/2})$ in I_2 photodissociation using a laser optoacoustic technique, T.F. Hunter and C.M. Leong 111 (1987) 145
Interaction-induced Rayleigh light scattering from molecular fluids. Spectral considerations, T. Bancewicz 111 (1987) 409
The Raman spectrum of ethane from 600 to 6500 cm^{-1} Stokes shifts, K. van Helvoort, W. Knippers, R. Fantoni and S. Stolte 111 (1987) 445

Liquids neat
Interaction-induced Rayleigh light scattering from molecular fluids. Spectral considerations, T. Bancewicz 111 (1987) 409

Liquid mixtures and solutions
Dynamic light scattering and mutual diffusion in non-ideal systems. One- and multi-component spherical solutes, J.M. Schurr 111 (1987) 55
Pseudospinodal curve for binary solutions determined from the non-linear dielectric effect, J. Chrapeć, S.J. Rzoska and J. Zioło 111 (1987) 155
A local density functional approximation for the ion distribution near a charged electrode in the restricted primitive model electrolyte, T. Alts, P. Nielaba, B. D'Aguanno and F. Forstmann 111 (1987) 223
A Monte Carlo simulation of Fe^{2+} aqueous solvation, A. González-Lafont, J.M. Lluch, A. Oliva and J. Bertrán 111 (1987) 241
The binary system benzene–hexafluorobenzene studied by SSOZ theory and computer simulation. I. The charge symmetry model, O. Steinhauser, I. Hausleithner and H. Bertagnolli 111 (1987) 371

Crystals
Theoretical evaluation of the frequency and intensity of low-energy charge-transfer transitions in aromatic hydrocarbon crystals. I. Anthracene, R.W. Munn, P. Petelenz and W. Siebrand 111 (1987) 209
EPR of layered magnetic metal–amino acid salts. I. $Cu(L\text{-}PHE)_2$, A.M. Gennaro, P.R. Levstein, C.A. Steren and R. Calvo 111 (1987) 431
An NMR relaxation study on the hydrogen dynamics in malonic acid, S. Idziak and N. Pišlewski 111 (1987) 439

– neat
Vibronic coupling in charge transfer complexes. II, P. Petelenz and V.H. Smith Jr. 111 (1987) 37
Effect of hydrostatic pressure on excitons in α-perylene crystals, A. Matsui, T. Ohno, K. Mizuno, T. Yokoyama and M. Kobayashi 111 (1987) 121

– mixed
Consistent force field modeling of substitutional defects representative for matrix-isolated molecules. II. Trans-1,2-difluoroethane: Ar_{364}, R. Gunde and H.H. Günthard 111 (1987) 339

Surfaces
A local density functional approximation for the ion distribution near a charged electrode in the restricted primitive model electrolyte, T. Alts, P. Nielaba, B. D'Aguanno and F. Forstmann 111 (1987) 223

Low-dimensional materials
EPR of layered magnetic metal–amino acid salts. I. $Cu(L\text{-}PHE)_2$, A.M. Gennaro, P.R. Levstein, C.A. Steren and R. Calvo 111 (1987) 431

Dielectrics
Non-linear dielectric effect of ternary critical solutions: the acetonitrile–cyclohexane–benzene system, K. Zboiński and A. Saar 111 (1987) 161

Plasmas
Non-equilibrium vibrational kinetics of CO pumped by vibrationally excited nitrogen molecules: general theoretical considerations, C. Gorse, G.D. Billing, M. Cacciatore, M. Capitelli and S. De Benedictis 111 (1987) 351
Non-equilibrium vibrational kinetics of CO pumped by vibrationally excited nitrogen molecules: A comparison between theory and experiment, S. De Benedictis, M. Capitelli, F. Cramarossa and C. Gorse 111 (1987) 361

Microscopic systems

Atoms
An accurate calculation of the ground state energy of the helium atom and the hydrogen negative ion using hyperspherical coordinates, J.G. Frey and B.J. Howard 111 (1987) 33
Electronic to vibrational energy transfer and relaxation in matrices. I. Hg in N_2 matrix, C. Crépin, F. Legay, N. Legay-Sommaire and A. Tramer 111 (1987) 169
Electronic to vibrational energy transfer and relaxation in matrices. II. Hg in mixed N_2/Kr matrices, C. Crépin, F. Legay, N. Legay-Sommaire and A. Tramer 111 (1987) 183

Vibronic approach to dynamics of charge transfer in the $[ArN_2]^+$ system, E.E. Nikitin, M.Ya. Ovchinnikova and D.V. Shalashilin 111 (1987) 313

Molecules (neutral and ionic)

An ab initio CI investigation of structure and bonding in LiC_2H_2 complexes, C. Pouchan 111 (1987) 87

On the possible charge-transfer dynamics in a simple system: $BH(X\ ^1\Sigma^+)$ + proton, F.A. Gianturco and F. Schneider 111 (1987) 113

Electronic to vibrational energy transfer and relaxation in matrices. II. Hg in mixed N_2/Kr matrices, C. Crépin, F. Legay, N. Legay-Sommaire and A. Tramer 111 (1987) 183

Proton–hydrogen collisions: trajectory surface hopping calculations and new measurements, Ch. Schlier, U. Nowotny and E. Teloy 111 (1987) 401

– diatomic

Classical dynamics of rotationally inelastic scattering of atoms with molecules, D. Poppe 111 (1987) 21

Spin–orbit interaction in the excited states of the dihalogen ions F_2^+, Cl_2^+ and Br_2^+, P.M. Boerrigter, M.A. Buijse and J.G. Snijders 111 (1987) 47

Radiative lifetimes of the low-lying electronic states of CuF and CuCl: identification of the excited states of CuCl, J.M. Delaval, Y. Lefebvre, H. Bocquet, P. Bernage and P. Niay 111 (1987) 129

Absolute yields of $I(^2P_{1/2})$ in I_2 photodissociation using a laser optoacoustic technique, T.F. Hunter and C.M. Leong 111 (1987) 145

Electronic to vibrational energy transfer and relaxation in matrices. I. Hg in N_2 matrix, C. Crépin, F. Legay, N. Legay-Sommaire and A. Tramer 111 (1987) 169

Accurate MR CI studies of the N_2 ground state, R. Ahlrichs, K. Jankowski and J. Wasilewski 111 (1987) 263

Theoretical study of direct dissociative charge exchange at low energy (1–100 eV), V. Sidis and C. Courbin-Gaussorgues 111 (1987) 285

Vibronic approach to dynamics of charge transfer in the $[ArN_2]^+$ system, E.E. Nikitin, M.Ya. Ovchinnikova and D.V. Shalashilin 111 (1987) 313

Ab initio configuration interaction calculations for five states of $ArHe^+$, M.Z. Liao, K. Balasubramanian, D. Chapman and S.H. Lin 111 (1987) 423

– small polyatomics

Procedures leading to a variety of orthonormal Jacobi-type coordinates of relevance to large-amplitude vibration and scattering problems, J.P. Leroy and R. Wallace 111 (1987) 11

Theoretical and experimental study of the vacuum ultraviolet spectrum of tetrasubstituted tin derivatives $SnCl_4$ and $Sn(CH_3)_4$, J. Fernandez, G. Lespes and A. Dargelos 111 (1987) 97

The Raman spectrum of ethane from 600 to 6500 cm^{-1} Stokes shifts, K. van Helvoort, W. Knippers, R. Fantoni and S. Stolte 111 (1987) 445

Inner- and valence-shell excitation of SF_4 studied by photoabsorption and electron energy loss spectroscopy, S. Bodeur and A.P. Hitchcock 111 (1987) 467

– aromatics

Effect of hydrostatic pressure on excitons in α-perylene crystals, A. Matsui, T. Ohno, K. Mizuno, T. Yokoyama and M. Kobayashi 111 (1987) 121

Assignment of the UV photoelectron spectra of the azoles by ab initio multi-reference configuration interaction calculations, M.H. Palmer and A.J. Beveridge 111 (1987) 249

– polymeric and biological
Dynamic light scattering and mutual diffusion in non-ideal systems. One- and multi-component spherical solutes, J.M. Schurr 111 (1987) 55

Molecular aggregates
– dimers
The impact of higher polarization functions on second-order dispersion energy. Partial wave expansion and damping phenomenon for He_2^1, M. Gutowski, J. Verbeek, J.H. van Lenthe and G. Chałasínski 111 (1987) 271
An NMR relaxation study on the hydrogen dynamics in malonic acid, S. Idziak and N. Piślewski 111 (1987) 439

– van der Waals molecules
The impact of higher polarization functions on second-order dispersion energy. Partial wave expansion and damping phenomenon for He_2^1, M. Gutowski, J. Verbeek, J.H. van Lenthe and G. Chałasínski 111 (1987) 271

– clusters
Consistent force field modeling of substitutional defects representative for matrix-isolated molecules. II. Trans-1,2-difluoroethane: Ar_{364}, R. Gunde and H.H. Günthard 111 (1987) 339

– complexes
An ab initio CI investigation of structure and bonding in LiC_2H_2 complexes, C. Pouchan 111 (1987) 87

Quasiparticles (including excitons)
Theoretical evaluation of the frequency and intensity of low-energy charge-transfer transitions in aromatic hydrocarbon crystals. I. Anthracene, R.W. Munn, P. Petelenz and W. Siebrand 111 (1987) 209

Ions and charge carriers
A local density functional approximation for the ion distribution near a charged electrode in the restricted primitive model electrolyte, T. Alts, P. Nielaba, B. D'Aguanno and F. Forstmann 111 (1987) 223
The charge transfer reactions of protons with carbon dioxide: a two-state treatment, C.A.F. Johnson and J.E. Parker 111 (1987) 307
Ion–molecule chemistry of C_2^+: evidence for the production of excited state dicarbon cation, A. O'Keefe, S. McElvany and J.R. McDonald 111 (1987) 327
Ab initio configuration interaction calculations for five states of $ArHe^+$, M.Z. Liao, K. Balasubramanian, D. Chapman and S.H. Lin 111 (1987) 423

PHENOMENA

Molecular structure
An ab initio CI investigation of structure and bonding in LiC_2H_2 complexes, C. Pouchan 111 (1987) 87

Assignment of the UV photoelectron spectra of the azoles by ab initio multi-reference configuration interaction calculations, M.H. Palmer and A.J. Beveridge 111 (1987) 249
Accurate MR CI studies of the N_2 ground state, R. Ahlrichs, K. Jankowski and J. Wasilewski 111 (1987) 263
Consistent force field modeling of substitutional defects representative for matrix-isolated molecules. II. Trans-1,2-difluoroethane: Ar_{364}, R. Gunde and H.H. Günthard 111 (1987) 339

Vibrations and rotations of molecules
Procedures leading to a variety of orthonormal Jacobi-type coordinates of relevance to large-amplitude vibration and scattering problems, J.P. Leroy and R. Wallace 111 (1987) 11
Rotational excitation of diatomic molecules in exothermic processes, D. Poppe 111 (1987) 17
Classical dynamics of rotationally inelastic scattering of atoms with molecules, D. Poppe 111 (1987) 21
An ab initio CI investigation of structure and bonding in LiC_2H_2 complexes, C. Pouchan 111 (1987) 87
Accurate MR CI studies of the N_2 ground state, R. Ahlrichs, K. Jankowski and J. Wasilewski 111 (1987) 263
The Raman spectrum of ethane from 600 to 6500 cm^{-1} Stokes shifts, K. van Helvoort, W. Knippers, R. Fantoni and S. Stolte 111 (1987) 445

Electronic structure and states
Spin–orbit interaction in the excited states of the dihalogen ions F_2^+, Cl_2^+ and Br_2^+, P.M. Boerrigter, M.A. Buijse and J.G. Snijders 111 (1987) 47
Theoretical and experimental study of the vacuum ultraviolet spectrum of tetrasubstituted tin derivatives $SnCl_4$ and $Sn(CH_3)_4$, J. Fernandez, G. Lespes and A. Dargelos 111 (1987) 97
Effect of hydrostatic pressure on excitons in α-perylene crystals, A. Matsui, T. Ohno, K. Mizuno, T. Yokoyama and M. Kobayashi 111 (1987) 121
Radiative lifetimes of the low-lying electronic states of CuF and CuCl: identification of the excited states of CuCl, J.M. Delaval, Y. Lefebvre, H. Bocquet, P. Bernage and P. Niay 111 (1987) 129
Theoretical evaluation of the frequency and intensity of low-energy charge-transfer transitions in aromatic hydrocarbon crystals. I. Anthracene, R.W. Munn, P. Petelenz and W. Siebrand 111 (1987) 209
Ion–molecule chemistry of C_2^+: evidence for the production of excited state dicarbon cation, A. O'Keefe, S. McElvany and J.R. McDonald 111 (1987) 327
Inner- and valence-shell excitation of SF_4 studied by photoabsorption and electron energy loss spectroscopy, S. Bodeur and A.P. Hitchcock 111 (1987) 467

Electric and magnetic properties
Pseudospinodal curve for binary solutions determined from the non-linear dielectric effect, J. Chrapeć, S.J. Rzoska and J. Zioło 111 (1987) 155
EPR of layered magnetic metal–amino acid salts. I. $Cu(L\text{-}PHE)_2$, A.M. Gennaro, P.R. Levstein, C.A. Steren and R. Calvo 111 (1987) 431

Molecular interactions
Classical dynamics of rotationally inelastic scattering of atoms with molecules, D. Poppe 111 (1987) 21

The impact of higher polarization functions on second-order dispersion energy. Partial wave expansion and damping phenomenon for He_2^1, M. Gutowski, J. Verbeek, J.H. van Lenthe and G. Chałasínski 111 (1987) 271
Proton–hydrogen collisions: trajectory surface hopping calculations and new measurements, Ch. Schlier, U. Nowotny and E. Teloy 111 (1987) 401
Interaction-induced Rayleigh light scattering from molecular fluids. Spectral considerations, T. Bancewicz 111 (1987) 409
Ab initio configuration interaction calculations for five states of $ArHe^+$, M.Z. Liao, K. Balasubramanian, D. Chapman and S.H. Lin 111 (1987) 423

Spectral bandshapes and intensities
Theoretical evaluation of the frequency and intensity of low-energy charge-transfer transitions in aromatic hydrocarbon crystals. I. Anthracene, R.W. Munn, P. Petelenz and W. Siebrand 111 (1987) 209
Interaction-induced Rayleigh light scattering from molecular fluids. Spectral considerations, T. Bancewicz 111 (1987) 409
The Raman spectrum of ethane from 600 to 6500 cm^{-1} Stokes shifts, K. van Helvoort, W. Knippers, R. Fantoni and S. Stolte 111 (1987) 445

Coupling of electronic and nuclear motion
Vibronic coupling in charge transfer complexes. II, P. Petelenz and V.H. Smith Jr. 111 (1987) 37
Vibronic approach to dynamics of charge transfer in the $[ArN_2]^+$ system, E.E. Nikitin, M.Ya. Ovchinnikova and D.V. Shalashilin 111 (1987) 313
Proton–hydrogen collisions: trajectory surface hopping calculations and new measurements, Ch. Schlier, U. Nowotny and E. Teloy 111 (1987) 401

Energy transfer processes
Rotational excitation of diatomic molecules in exothermic processes, D. Poppe 111 (1987) 17
On the possible charge-transfer dynamics in a simple system: $BH(X\ ^1\Sigma^+)$ + proton, F.A. Gianturco and F. Schneider 111 (1987) 113
Electronic to vibrational energy transfer and relaxation in matrices. I. Hg in N_2 matrix, C. Crépin, F. Legay, N. Legay-Sommaire and A. Tramer 111 (1987) 169
Electronic to vibrational energy transfer and relaxation in matrices. II. Hg in mixed N_2/Kr matrices, C. Crépin, F. Legay, N. Legay-Sommaire and A. Tramer 111 (1987) 183
Self-similarity as a fundamental feature of the regression of fluctuations, L.A. Dissado and R.M. Hill 111 (1987) 193
Vibronic approach to dynamics of charge transfer in the $[ArN_2]^+$ system, E.E. Nikitin, M.Ya. Ovchinnikova and D.V. Shalashilin 111 (1987) 313

Molecular photophysical processes
Determination of saturated organic vapour concentrations by a spectroscopic method, L.M. Ilharco, A.F. do Vale and J. Lopes da Silva 111 (1987) 137
Absolute yields of $I(^2P_{1/2})$ in I_2 photodissociation using a laser optoacoustic technique, T.F. Hunter and C.M. Leong 111 (1987) 145

Intramolecular dynamics
Procedures leading to a variety of orthonormal Jacobi-type coordinates of relevance to large-amplitude vibration and scattering problems, J.P. Leroy and R. Wallace 111 (1987) 11

Self-similarity as a fundamental feature of the regression of fluctuations, L.A. Dissado and R.M. Hill 111 (1987) 193

Non-linear responses (including optical)
Pseudospinodal curve for binary solutions determined from the non-linear dielectric effect, J. Chrapeć, S.J. Rzoska and J. Zioło 111 (1987) 155
Non-linear dielectric effect of ternary critical solutions: the acetonitrile–cyclohexane–benzene system, K. Zboiński and A. Saar 111 (1987) 161

Reactions (including dissociation)
Theoretical study of direct dissociative charge exchange at low energy (1–100 eV), V. Sidis and C. Courbin-Gaussorgues 111 (1987) 285
Non-equilibrium vibrational kinetics of CO pumped by vibrationally excited nitrogen molecules: general theoretical considerations, C. Gorse, G.D. Billing, M. Cacciatore, M. Capitelli and S. De Benedictis 111 (1987) 351
Non-equilibrium vibrational kinetics of CO pumped by vibrationally excited nitrogen molecules: A comparison between theory and experiment, S. De Benedictis, M. Capitelli, F. Cramarossa and C. Gorse 111 (1987) 361

– gas phase
Collision theory thermal rate constants for H + H_2 reactions on the SLTH potential surface, W.C. Gardiner Jr. and R.D. Levine 111 (1987) 1
The charge transfer reactions of protons with carbon dioxide: a two-state treatment, C.A.F. Johnson and J.E. Parker 111 (1987) 307
Combining transition state calculations with quasiclassical trajectory calculations. II. Collinear collisions involving vibrationally excited reagents, R.J. Frost and I.W.M. Smith 111 (1987) 389
Proton–hydrogen collisions: trajectory surface hopping calculations and new measurements, Ch. Schlier, U. Nowotny and E. Teloy 111 (1987) 401

– condensed phase
On the intramicellar fluorescence quenching rate constant in cylindrical micelles, M. van der Auweraer and F.C. de Schryver 111 (1987) 105

Electron transfer
Theoretical study of direct dissociative charge exchange at low energy (1–100 eV), V. Sidis and C. Courbin-Gaussorgues 111 (1987) 285
The charge transfer reactions of protons with carbon dioxide: a two-state treatment, C.A.F. Johnson and J.E. Parker 111 (1987) 307

Ionization (including Rydberg states)
Spin–orbit interaction in the excited states of the dihalogen ions F_2^+, Cl_2^+ and Br_2^+, P.M. Boerrigter, M.A. Buijse and J.G. Snijders 111 (1987) 47
Theoretical and experimental study of the vacuum ultraviolet spectrum of tetrasubstituted tin derivatives $SnCl_4$ and $Sn(CH_3)_4$, J. Fernandez, G. Lespes and A. Dargelos 111 (1987) 97
Inner- and valence-shell excitation of SF_4 studied by photoabsorption and electron energy loss spectroscopy, S. Bodeur and A.P. Hitchcock 111 (1987) 467

Molecular motion (including diffusive)
On the intramicellar fluorescence quenching rate constant in cylindrical micelles, M. van der Auweraer and F.C. de Schryver 111 (1987) 105
An NMR relaxation study on the hydrogen dynamics in malonic acid, S. Idziak and N. Piślewski 111 (1987) 439

Isotopic effects
Collision theory thermal rate constants for H + H_2 reactions on the SLTH potential surface, W.C. Gardiner Jr. and R.D. Levine 111 (1987) 1

Fluctuations and noise
Non-linear dielectric effect of ternary critical solutions: the acetonitrile–cyclohexane–benzene system, K. Zboiński and A. Saar 111 (1987) 161

Collective motion and excitations
Self-similarity as a fundamental feature of the regression of fluctuations, L.A. Dissado and R.M. Hill 111 (1987) 193

Thermodynamic and transport properties
Dynamic light scattering and mutual diffusion in non-ideal systems. One- and multi-component spherical solutes, J.M. Schurr 111 (1987) 55
On the intramicellar fluorescence quenching rate constant in cylindrical micelles, M. van der Auweraer and F.C. de Schryver 111 (1987) 105

Structure of solids and liquids
A local density functional approximation for the ion distribution near a charged electrode in the restricted primitive model electrolyte, T. Alts, P. Nielaba, B. D'Aguanno and F. Forstmann 111 (1987) 223
A Monte Carlo simulation of Fe^{2+} aqueous solvation, A. González-Lafont, J.M. Lluch, A. Oliva and J. Bertrán 111 (1987) 241
The binary system benzene–hexafluorobenzene studied by SSOZ theory and computer simulation. I. The charge symmetry model, O. Steinhauser, I. Hausleithner and H. Bertagnolli 111 (1987) 371

Critical phenomena
Pseudospinodal curve for binary solutions determined from the non-linear dielectric effect, J. Chrapeć, S.J. Rzoska and J. Zioło 111 (1987) 155
Non-linear dielectric effect of ternary critical solutions: the acetonitrile–cyclohexane–benzene system, K. Zboiński and A. Saar 111 (1987) 161

Phase transitions
Pseudospinodal curve for binary solutions determined from the non-linear dielectric effect, J. Chrapeć, S.J. Rzoska and J. Zioło 111 (1987) 155